

STATE OF SOUTH CAROLINA

(Caption of Case)

Application of Duke Energy Carolinas, LLC for
Authorization to Enter Into a Business Combination
Transaction With Cinergy Corporation

BEFORE THE
PUBLIC SERVICE COMMISSION
OF SOUTH CAROLINA

COVER SHEET

DOCKET

NUMBER: 2005 - 210 - E

(Please type or print)

Submitted by: Michael W. Chiasson, P.E.

SC Bar Number: _____

Address: 701 City Center Drive

Telephone: (317)249-5721

Carmel, Indiana 46032

Fax: (317)249-5943

Other: _____

Email: mchiasson@potomaceconomics.com

NOTE: The cover sheet and information contained herein neither replaces nor supplements the filing and service of pleadings or other papers as required by law. This form is required for use by the Public Service Commission of South Carolina for the purpose of docketing and must be filled out completely.

DOCKETING INFORMATION (Check all that apply)

☐ Emergency Relief demanded in petition ☐ Request for item to be placed on Commission's Agenda expeditiously

☒ Other: Quarterly Market Monitoring Report for the Period covering October 2009 - December 2009

INDUSTRY (Check one)	NATURE OF ACTION (Check all that apply)		
<input checked="" type="checkbox"/> Electric	<input type="checkbox"/> Affidavit	<input checked="" type="checkbox"/> Letter	<input type="checkbox"/> Request
<input type="checkbox"/> Electric/Gas	<input type="checkbox"/> Agreement	<input type="checkbox"/> Memorandum	<input type="checkbox"/> Request for Certification
<input type="checkbox"/> Electric/Telecommunications	<input type="checkbox"/> Answer	<input type="checkbox"/> Motion	<input type="checkbox"/> Request for Investigation
<input type="checkbox"/> Electric/Water	<input type="checkbox"/> Appellate Review	<input type="checkbox"/> Objection	<input type="checkbox"/> Resale Agreement
<input type="checkbox"/> Electric/Water/Telecom.	<input type="checkbox"/> Application	<input type="checkbox"/> Petition	<input type="checkbox"/> Resale Amendment
<input type="checkbox"/> Electric/Water/Sewer	<input type="checkbox"/> Brief	<input type="checkbox"/> Petition for Reconsideration	<input type="checkbox"/> Reservation Letter
<input type="checkbox"/> Gas	<input type="checkbox"/> Certificate	<input type="checkbox"/> Petition for Rulemaking	<input type="checkbox"/> Response
<input type="checkbox"/> Railroad	<input type="checkbox"/> Comments	<input type="checkbox"/> Petition for Rule to Show Cause	<input type="checkbox"/> Response to Discovery
<input type="checkbox"/> Sewer	<input type="checkbox"/> Complaint	<input type="checkbox"/> Petition to Intervene	<input type="checkbox"/> Return to Petition
<input type="checkbox"/> Telecommunications	<input type="checkbox"/> Consent Order	<input type="checkbox"/> Petition to Intervene Out of Time	<input type="checkbox"/> Stipulation
<input type="checkbox"/> Transportation	<input type="checkbox"/> Discovery	<input type="checkbox"/> Prefiled Testimony	<input type="checkbox"/> Subpoena
<input type="checkbox"/> Water	<input type="checkbox"/> Exhibit	<input type="checkbox"/> Promotion	<input type="checkbox"/> Tariff
<input type="checkbox"/> Water/Sewer	<input type="checkbox"/> Expedited Consideration	<input type="checkbox"/> Proposed Order	<input type="checkbox"/> Other:
<input type="checkbox"/> Administrative Matter	<input type="checkbox"/> Interconnection Agreement	<input type="checkbox"/> Protest	
<input type="checkbox"/> Other:	<input type="checkbox"/> Interconnection Amendment	<input type="checkbox"/> Publisher's Affidavit	
	<input type="checkbox"/> Late-Filed Exhibit	<input checked="" type="checkbox"/> Report	

**QUARTERLY INDEPENDENT MONITORING REPORT
ON
DUKE ENERGY CAROLINAS, LLC**

Fourth Quarter 2009

Issued by:

**Potomac Economics, Ltd.
Independent Market Monitor**

CONFIDENTIAL MATERIAL REDACTED

Table of Contents

I. Overview	1
A. Independent Monitoring	2
B. Summary of Quarterly Report	3
C. Complaints and Special Investigations	7
II. Wholesale Prices and Transactions	8
A. Prices.....	8
B. Sales and Purchases	10
III. Transmission Congestion	11
A. Overview.....	11
B. Transmission Congestion.....	12
IV. Transmission Access	14
V. Monitoring for Anticompetitive Conduct	21
A. Wholesale Sales and Purchases	21
B. Generation Dispatch and Availability	24
C. Analysis of Transmission Availability	32

List of Figures

Figure 1: Wholesale Power Prices, Peak Load, and Natural Gas Costs	8
Figure 2: Trends in Monthly Electricity and Natural Gas Prices.....	9
Figure 3: Summary of Duke Sales and Purchases	10
Figure 4: Disposition of Requests for Transmission Service on the Duke System	14
Figure 5: Disposition of Transmission by Duration of Service	15
Figure 6: PJM to DUK Daily Minimum of Hourly Capacity	17
Figure 7: CPLE to DUK Daily Minimum of Hourly Capacity.....	17
Figure 8: DUK to PJM Daily Minimum of Hourly Capacity	18
Figure 9: DUK to SOCO Daily Minimum of Hourly Capacity.....	18
Figure 10: DUK to SC Daily Minimum of Hourly Capacity.....	19
Figure 11: Prices for Duke Sales and Purchases.....	23
Figure 12: Duke Supply Curve	25
Figure 13: Out-of-Merit Dispatch and Congestion Events.....	27
Figure 14: Outage Quantities	30
Figure 15: Outage Rate	31
Figure 16: Correlation of Average Outage Rates with Wholesale Energy Prices	31

I. OVERVIEW

This transmission monitoring report addresses the period from October 2009 through December 2009 for Duke Energy Carolinas, LLC (formerly Duke Power, a division of Duke Energy Corporation) (“Duke” or “the Company”). For the purpose of increasing confidence in the independence and transparency of the operation of the Duke transmission system, Duke proposed and FERC accepted in Docket No. ER05-1236-00 the establishment of an “Independent Entity” to perform certain OATT-related functions and a transmission monitoring plan that calls for an “independent transmission service monitor”. The Midwest ISO was retained as the Independent Entity (“IE”), and Potomac Economics was retained as the independent transmission service monitor.

The scope of the independent transmission service monitor is established in the transmission monitoring plan. The plan is designed to detect any anticompetitive conduct from operation of the company’s transmission system, including any transmission effects from the company’s generation dispatch. It is also intended to identify any rules affecting Duke’s transmission system which result in a significant increase in wholesale electricity prices or the foreclosure of competition by rival suppliers. As stated in the plan:

The Monitor shall provide independent and impartial monitoring and reporting on: (1) generation dispatch of Duke Power and scheduled loadings on constrained transmission facilities; (2) details on binding transmission constraints, transmission refusals, or other relevant information; (3) operating guides and other procedures designed to relieve transmission constraints and the effectiveness of these guides or procedures in relieving constraints; (4) information concerning the volume of transactions and prices charged by Duke Power in the electricity markets affected by Duke Power before and after Duke Power implements redispatch or other congestion management actions; (5) information concerning Duke Power’s calling for transmission line loading relief (“TLR”); and (6) the information provided by Duke Power used to perform the calculation of Available Transmission Capability (“ATC”) and Total Transfer Capability (“TTC”).

To execute the monitoring plan, Potomac Economics routinely receives data from Duke that allows us to monitor generation dispatch, transmission system congestion, and the Company’s response to transmission congestion (both its operational response and its

business activities). We also collect certain key data ourselves, including OASIS data and market pricing data.

The purpose of this report is to present the results of our monitoring activities and significant events on the Duke system¹ from October 2009 to December 2009.

A. Independent Monitoring

Potomac Economics performs the monitoring function on a regular basis, as well as performing periodic reviews and special investigations. Our primary monitoring is conducted by way of regular analysis of market data relating to transmission outages, congestion, and system access. This involves data on transmission outages, transmission reservation requests, Available Transfer Capability ("ATC"), transmission line loading relief ("TLR") and curtailments or other actions taken by Duke to manage congestion. Analyses of this data aid in detecting congestion and whether market participants have full access to transmission service.

In addition to the regular monitoring of outages and reservations, we also remain alert to other significant events, such as price spikes, major generation outages, and extreme weather events that could adversely affect transmission system capability and give rise to the opportunity for anticompetitive conduct.

Our periodic review of market conditions and operations is based on data Duke provides, as well as other data that we routinely collect. Our review consists of four parts. First, we evaluate regional prices and transactions to provide an assessment of overall market conditions. Second, we summarize transmission congestion and the use of schedule curtailments in order to detect potential competitive problems. Congestion is identified by TLR events and schedule curtailments² on Duke's transmission system. Third, we evaluate the disposition of transmission service requests and TTC to analyze transmission

¹ As allowed for in the monitoring plan, certain anomalous findings related to general market conditions, TTC, and transmission outages were shared with Duke to obtain clarification prior to submission to FERC and the state commissions.

² When we refer to schedule curtailments, we include TLR events because schedule curtailments are the main method used under the TLR procedures to manage congestion.

access and to detect events on the Duke system that require closer analysis. Finally, to monitor for anticompetitive conduct, we examine periods of congestion and evaluate whether Duke operating activities are consistent with anticompetitive conduct. The operating activities that we evaluate are wholesale purchases and sales, generation dispatch and availability, and transmission availability.

In addition to our periodic reviews, we may from time-to-time be asked to or deem it necessary to undertake a special investigation in response to specific circumstances or events. No such events occurred during the time period of this report.

B. Summary of Quarterly Report

The following subsections summarize the findings of our monitoring of Duke's operations during the quarter.

1. Wholesale Prices and Transactions

Prices. We evaluate regional wholesale electricity prices in order to provide an overview of general market conditions. Over the course of the study period, electricity prices fluctuated between \$28/MWH and \$53/MWH and exhibited very high correlations with peak load and natural gas prices. The correlation with natural gas is usually strong for this time of year.

Sales and Purchases. Duke engages in wholesale purchases and sales of power on both a short-term and long-term basis. [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

2. Transmission Congestion

We use TLR events in the vicinity of Duke and schedule curtailments initiated by Duke to identify periods of congestion. Duke manages transmission congestion with

generation redispatch, transmission system reconfiguration, and schedule curtailments.³ Of these, schedule curtailments have the most direct impact on market access and outcomes. Duke reserves and schedules transmission service primarily on a contract-path basis. A common situation in which Duke uses curtailments is when unscheduled firm reservation rights are released to the market and scheduled for non-firm use, but are then displaced when the higher-priority firm reservation holders subsequently submit schedules. The displaced non-firm schedules are curtailed. Curtailments can also occur when the paths reach their contract limits even though they may not be heavily loaded with physical flow. During the period of study, there were 27 curtailments initiated by Duke and four TLR events in the region. All the TLR events were initiated by PJM.

All curtailments regardless of their basis are important because they have the same impact on reducing transmission access. However, only schedules that are curtailed based on physical flow are potentially influenced by Duke's operation of generation and transmission. We analyzed the impact of Duke's generation operations on the TLR event and do not find that Duke's dispatch of generation contributed to the event.

3. Transmission Access

We evaluate the patterns of transmission requests and their disposition to determine whether market participants have had difficulty accessing Duke's transmission network. If requests for transmission service are frequently denied unjustifiably, this may indicate an attempt to exercise market power. The volume of accepted requests was slightly lower than the previous quarter, but the approval rate was very high, averaging over 99.9 percent over the period of study. Given the high volume of service sold and the low level of refusals, we do not find a pattern in the disposition of transmission requests that indicates restrictive access to transmission.

³ We use the term schedule loosely in this context. It is actually e-tags that are curtailed. Each e-tag represents a physical sequence and time series of schedules. Therefore, one e-tag may have multiple schedules comprising it. Also, sometimes the same e-tag is curtailed more than once.

For the period of study, we identified the following key transmission paths: “Carolina Power Light-East (CPLE) to Carolina Power Light-West (CPLE)”⁴, “PJM to Southern Company”, “Southern Company to PJM” and “PJM to South Carolina Public Service Authority”. We are also interested in the segments of those paths that have a “source” or “sink” in Duke. We chose these paths because of the typical volume of refused transmission service requests and the frequency of curtailed transmission schedules on them. We examined TTC calculations on these paths for days when ATC became unavailable. Our review of these days determined that the reductions in TTC are justified based on the day-ahead study results, but there is room for improvement in the accuracy of the day-ahead studies.

Effective October 1, 2009, Duke improved their business practices by removing the thresholds that TTC changes must exceed in order to be posted. This improvement was made in response to a recommendation that we made in the First Quarter 2009 Market Monitoring Report.

4. Potential Anticompetitive Conduct

Wholesale Sales and Purchases. We examined real-time sales and purchases that were delivered during the period of study. We focus on intra-day bilateral contracts because these best represent the spot price of electricity in markets served by Duke and are the means that Duke would likely use to profit by affecting wholesale electricity prices. Under a hypothesis of market power, we would expect higher sales prices or lower purchase prices during times when transmission congestion arises. Daily average transaction prices ranged between \$■ MWh and \$■ MWh. There were days when Duke’s net sales position could have potentially benefited from the congestion. We scrutinized these days when we evaluated generation and transmission operations and did not find evidence of anticompetitive conduct.

Generation Dispatch and Availability. To further evaluate competitive issues, we examined Duke’s generation dispatch to determine the extent to which congestion may be

⁴ CPLE and CPLW refer to the eastern and western portions of Progress Energy’s service territory in North and South Carolina (formally known as Carolina Power and Light).

caused or exacerbated by uneconomic dispatch. Congestion can occur even when Duke or any other utility dispatches its units in a least-cost manner. Such congestion does not raise competitive concerns. If an unjustified departure from least-cost dispatch (“out-of-merit” dispatch) occurs and causes congestion, further analysis is warranted to determine whether the Company’s conduct raises competitive concerns.

Using an estimated supply curve, we analyze Duke’s actual dispatch to determine whether the actual dispatch departed significantly from what we estimate to be the economic dispatch. We then evaluate the contribution that the out-of-merit dispatch makes to flows on congested transmission paths to determine if congestion was either created and/or exploited by Duke. Our investigation into the congestion events found that generation dispatched out-of-merit order did not have an impact on curtailed paths. Consequently, we do not find evidence of anticompetitive conduct. Regardless, we did review the causes of the four largest out-of-merit values even though they did not contribute to congestion events; we found that they were caused by justified generation forced outages and generation testing.

We also conducted an analysis of potential economic and physical withholding to further evaluate generation operations. Indicators of potential economic and physical withholding were minimal and not indicative of anticompetitive conduct.

Evaluation of generation outage rates did not reveal evidence that generation outages were associated with anticompetitive conduct.

Transmission Availability. Finally, we evaluated Duke’s transmission outage events in order to determine whether these events may have unduly impacted market outcomes during the study period. We found no evidence of anticompetitive conduct.

5. Conclusions

Our analysis did not indicate any potential anticompetitive conduct from operation of the company’s transmission system or generation.

C. Complaints and Special Investigations

We have not been contacted by the Commission or other entities regarding any special investigation into Duke's market behavior, nor have we detected any conduct or market conditions that would warrant a special investigation.


II. WHOLESALE PRICES AND TRANSACTIONS

A. Prices

We evaluate regional wholesale electricity prices in order to provide an overview of general conditions in the market in which Duke operates. Examining price movements can provide insight into specific time periods that may merit further investigation, although they are not definitive indicators of anticompetitive conduct.

Duke is not part of a centralized wholesale market in which transparent spot prices are produced. Wholesale trading in the areas in which Duke operates is conducted under bilateral contracts. Bilateral contract prices are collected and published by commercial data services such as Platts, which we use for this report. Platts publishes prices at various pricing points, including a price for the VACAR (Virginia, Carolinas) subregion of the South East Reliability Council (SERC), which includes Duke's control area. Figure 1 shows the bilateral contract prices for VACAR along with other market indicators.


**Figure 1: Wholesale Power Prices, Peak Load, and Natural Gas Costs
October 2009 – December 2009**



We show system load data because of its expected correlation with power prices. We show natural gas cost because natural gas-fired units are most often the marginal unit supplying the grid, and because fuel costs comprise the vast portion of a generating unit's marginal costs. We use the daily price of natural gas deliveries by Transco at its Zone 5 location, a main pricing point for natural gas purchases by Duke. We translate this natural gas cost to a power cost assuming an 8,000 btu/kWh heat rate. This roughly corresponds to the fuel-cost portion of the operating cost of a natural gas combined cycle unit, which should generally correspond to the competitive price for power. Prices ranged from \$28/MWh to \$53/MWh over the study period. Power prices exhibited high correlations with peak load and natural gas cost.

The next analysis compares the average VACAR power prices for each month in the study period with the corresponding month of the previous three years. Results are shown in Figure 2 together with the average of the daily Transco Zone 5 natural gas prices. As the figure shows, electricity prices have generally been correlated with natural gas prices over time as one would expect.

**Figure 2: Trends in Monthly Electricity and Natural Gas Prices
October 2006 – December 2009**




Overall, our evaluation of wholesale electricity prices in the Duke region did not indicate a time period that merits particular attention based on pricing patterns.

B. Sales and Purchases

Duke engages in wholesale purchases and sales of power. These transactions are both firm and non-firm in nature. Figure 3 summarizes Duke's sales and purchase activity for trades that delivered during the study period. We consider only short-term trades because we are interested in transactions that could have allowed Duke to benefit from any potential market abuse during this time period. Short-term transactions include all transactions that are done in the day-ahead or intra-day markets. Longer-term transactions generally occur at predetermined prices that would not be directly affected by transitory periods of congestion. Additionally, short-term transaction prices are good indicators of wholesale market conditions during periods of congestion.

**Figure 3: Summary of Duke Sales and Purchases
October 2009 – December 2009**



As the figure shows,

[REDACTED]

[REDACTED]

[REDACTED]

In general, a market participant exercising market power would be a short-term net seller, making short-term sales at high prices, or a short-term net buyer making short-term purchases at low prices. However, since Duke may benefit from higher prices or lower prices at certain times and locations, we evaluate the prices of real-time transactions during congested periods in Section V.A. to detect potential anticompetitive conduct.

III. TRANSMISSION CONGESTION

A. Overview

Duke is located in the SERC region of the North American Electric Reliability Council (“NERC”). NERC is certified as the Electric Reliability Organization (“ERO”) in the United States as of July 20, 2006. SERC is divided geographically into five subregions that are identified as Entergy, Gateway, Southern, TVA, and VACAR. VACAR is further divided into two intraregional coordination groups including VACAR North and VACAR South for the establishment of Reliability Coordinators (“RC”). Duke is within the VACAR South coordination group along with five other balancing authorities: Progress Energy Carolinas, Inc., South Carolina Electric & Gas Company, South Carolina Public Service Authority (Santee Cooper), Southeastern Power Administration, and Yadkin (a division of Alcoa Power Generation Inc).

Procedures to manage transmission congestion are implemented by the VACAR South Reliability Coordinator. The activities covered in these procedures include performing day-ahead and real-time reliability analysis, working with participants to correct System Operating Limit (“SOL”) and Interconnection Reliability Operating Limit (“IROL”) violations, and managing TLR events.

The VACAR South Reliability Coordinator utilizes an “Agent” to perform Reliability Coordination tasks. Duke, in addition to being a member of the VACAR South coordination group, is contracted to serve as Agent to perform the duties of Reliability Coordinator for itself and the other five VACAR South member companies. The transmission monitoring plan calls for monitoring Duke’s operation of its transmission system to identify anticompetitive conduct, including conduct associated with system operations and reliability coordination.⁵ Our monitoring of such conduct is limited to conduct associated with Duke’s transmission system and does not extend to Duke’s activities as Agent for the VACAR South Reliability Coordinator.

⁵ See Transmission Service Monitoring Plan, Section 1.2.

B. Transmission Congestion

We monitor Duke for potential anticompetitive operation of generation or transmission facilities that may create transmission congestion or otherwise create barriers to rival companies' access to the markets. Duke identifies congestion in the operating horizon through real-time contingency analysis ("RTCA"). In this process, operators monitor line-loadings to keep them within ranges whereby a system outage or "contingency" can be safely sustained. If the line-loadings exceed this safe range (called the system operating limit or "SOL"), then the lines are relieved⁶ through generation redispatch, reconfiguration, schedule curtailments, and/or load reduction.⁷

Congestion between balancing authorities is monitored and managed through the use of TLR procedures. These procedures invoke schedule curtailments, system reconfiguration, generation redispatch, and load shedding as necessary to relieve congestion by reducing flows below the first-contingency transmission limits on all transmission facilities. Duke's general practice is to curtail schedules and redispatch generation as needed to manage congestion without invoking TLR procedures, but Duke can impact or be impacted by TLR events invoked by neighboring areas.

Schedule curtailments can constitute anticompetitive conduct if they are not justified. They cause an immediate reduction in market access that could affect market outcomes. Accordingly, these congestion events are the basis for our screening of Duke's generation and transmission operations.

For the purposes of our analysis, we consider two types of schedule curtailments. One we refer to as "flow-based curtailments", which are curtailments to accommodate the actual physical flows on facilities as identified by the RTCA. TLR events are included with flow-based curtailments when we conduct our analysis of operating activities. The other is "contract-path-based curtailments" which are not related to physical flows but rather to contract path limits. Contract-path-based schedule curtailments may be implemented to stay within contract limits even though the path may not be physically

⁶ Some contingency overloads do not require action to be taken because they do not have the potential to cause cascading outages, substantial loss of load, or major equipment damage.

⁷ System reconfiguration actions may include opening tie line breakers, which can cause TTC to go to zero, inducing schedule curtailments.

congested. While this has the same effect on market access, these curtailments are not caused by the operation of generation.

Contract-path-based curtailments are implemented when transmission conditions reduce total transfer capability below the level of existing schedules on the contract path, which results in the curtailment of non-firm and possibly firm schedules. Contract-path-based curtailments are also the result of non-firm service being displaced to accommodate a schedule under a firm reservation. Since these conditions are not affected by generation operations, we only use the flow-based curtailments in our analysis of generation operations.

During the period of study, there were 27 curtailments initiated by Duke. Of these, one was a flow-based curtailment caused by a forced generator outage. There were four TLR events in the region and all were initiated by PJM on flowgate [REDACTED].

⁸ Flowgate [REDACTED]
line”.


IV. TRANSMISSION ACCESS

A main component of the transmission monitoring function is to evaluate transmission availability on the Duke system. In this section, we evaluate access to transmission by analyzing the disposition of transmission service requests. The patterns of transmission requests and their disposition are helpful in determining whether market participants have had difficulty accessing Duke's transmission network.

In order to make this evaluation, we calculate the volume of requested capacity that spanned the time period under study. For example, if a request was approved in January for service in June, we categorize that as an approval for June. Because requests vary in magnitude and duration, we assign a total monthly volume (GWh) associated with a request, which provides a common measure for all types of requests. Hence, a yearly request for 100 MW has rights for every hour of the month for which the request spans, just as like a monthly request. A request covering less than the entire month is assigned the hours between its stop and start date.

Figure 4 shows the breakdown of transmission service requests in each month from October 2008 through December 2009 and summarizes the disposition of the requests.

**Figure 4: Disposition of Requests for Transmission Service on the Duke System
October 2008 - December 2009**



The figure shows that the total volumes of approved requests during the period have slightly decreased from the prior quarter and slightly increased from the same months from the prior year. The volumes of refused requests have also decreased from the same months from the prior year. Although it is not obvious from the figure, the refusal volume was only 10 GWh during the fourth quarter of 2009, which is an increase from the refusal volume of 6 GWh during the third quarter of 2009. However, the approval rate of transmission service requests was very high over the study period, averaging over 99.9 percent. Given the high volume of approved requests and the low volume of refused requests, we do not find evidence that Duke has restricted access to transmission capability.

To evaluate the disposition of transmission requests further, we compare the volume of transmission requests over the study period by increment of service to the requests from the corresponding period a year prior. This comparison is shown in Figure 5.




Figure 5 indicates an increase in the approvals of yearly service and decreases in the approvals of the shorter service increments. This shows an overall increase in approvals with a shift to yearly service. The volume of refusals is only a fraction of what it was in the same period of the prior year, but both years were close to zero. These increases in approval volumes for yearly service further support our conclusion that transmission access has not become more restrictive.

Our next analysis focuses on TTC for key contract paths. We assess TTC reductions that may limit market access. As mentioned above, Duke's primary means of managing congestion within its system is to forecast congestion using day-ahead studies⁹, and then to reduce the TTC as a means of reducing the schedules that cause the forecasted congestion. The day-ahead study is conducted by the IE using data provided by Duke. The study can result in reductions in TTC on certain paths. To avoid curtailing firm schedules, TTC is not reduced below firm schedule amounts even if the day-ahead studies predict congestion at those levels.


This process creates an incentive for Duke to provide forecasts that reduce TTC and thereby exclude competitors. Therefore, we monitor this process by selecting cases where competition may be impacted adversely, namely, cases where ATC was at or near zero. We then review the TTC associated with these cases to determine whether a reduction of TTC could have caused the ATC to be at or near zero. Such a result would raise concerns of potentially anticompetitive behavior. Thus, if it arises, we make further examination to determine if the reduction in TTC was justified. We monitor this process at two levels. First, we simply check the day-ahead study results to ensure the process is being implemented properly. Then we assess the accuracy of the process if the congested elements are on Duke's transmission system.

Based on the volume of refused transmission service requests ("TSRs") and the frequency of schedule curtailments typically seen, we identify the key paths as those with either PJM, Duke, Southern Company, or South Carolina Public Service Authority (Santee Cooper or SC) as sources or sinks, as well as the "CPLW to CPLW" path. We identify the limiting segments of these paths for further review.


Of the four key wheel-through paths, the segments of "PJM to Duke", "CPLW to Duke", "Duke to PJM", "Duke to Southern Company" and "Duke to South Carolina Public Service Authority" had instances of near zero Non-Firm Capacity (ATC) coincident with TTC reductions. The minimum TTC and ATC for each day for these path segments are shown in Figure 6 through Figure 10 below. Days when the ATC was at or near zero coincident with a reduction in TTC are significant because they may represent Duke improperly reducing TTC in order to reduce competitors' access.

⁹ The accuracy of day-ahead studies is limited due to being based on uncertain parameters such as system load and interchange.


**Figure 6: PJM to DUK Daily Minimum of Hourly Capacity
October 2009 – December 2009**




**Figure 7: CPLE to DUK Daily Minimum of Hourly Capacity
October 2009 – December 2009**




**Figure 8: DUK to PJM Daily Minimum of Hourly Capacity
October 2009 – December 2009**



**Figure 9: DUK to SOCO Daily Minimum of Hourly Capacity
October 2009 – December 2009**



**Figure 10: DUK to SC Daily Minimum of Hourly Capacity
October 2009 – December 2009**



The five segments shown in Figure 6 through Figure 10 above experienced TTC reductions based on common constraints binding in the day-ahead studies. The two import paths, “PJM to Duke” in Figure 6, and “CPL to Duke” in Figure 7, had zero ATC coincident with TTC reductions only on October 26, 2009. This common constraint was the [REDACTED]. [REDACTED] There were also curtailments and a refusal of transmission service on that day.

The three export paths, “Duke to PJM” in Figure 8, “Duke to Southern Company” in Figure 9, and “Duke to Santee Cooper” in Figure 10, each had multiple days with zero ATC coincident with TTC reductions. [REDACTED]

[REDACTED] There were curtailments and refusals of transmission service on all these paths except for “Duke to Santee Cooper”, which had no service refusals, but two tag curtailments.

To determine that TTC values were properly determined, all five paths were confirmed to have TTC postings consistent with the day-ahead studies and the business practices. Effective October

1, 2009, Duke improved their business practices by removing the thresholds that TTC changes must exceed prior to being posted, which implements the recommendation that we made in the First Quarter 2009 Market Monitoring Report.

To determine the accuracy of the TTC values, we check to see if the conditions predicted in the day-ahead studies actually occurred in the real-time. First we checked to see if the limiting constraints from the day-ahead studies appeared as violations in the real-time contingency analysis data. Since none of them did, we proceeded to review the actual flows on the constraints. From the real-time flow data, we observed that the [REDACTED]

[REDACTED] constraint was consistent. However, the [REDACTED]

[REDACTED] constraint in the day-ahead study were not accurate predictions of the real-time conditions.

Even though there was zero ATC, the highest daily real-time flows did not exceed 50% to 89% of the limit, depending on the day.

The day-ahead studies for all five paths estimated reduced TTCs due to the effects of the outage of the [REDACTED]

[REDACTED] There were no occurrences of zero ATC coincident with reduced TTC outside of that outage window. Our review of Duke's activity relating to reducing TTC does not show that access was limited in an anticompetitive manner, but it does show room for improvement in the accuracy of the day-ahead studies.

V. MONITORING FOR ANTICOMPETITIVE CONDUCT

In this section, we report on our monitoring for anticompetitive conduct. The market monitoring plan calls for identifying anticompetitive conduct, which includes conduct associated with the operation of either Duke's transmission assets or its generation assets that can create transmission congestion or erect barriers to rival suppliers, thereby raising electricity prices. To identify potential concerns, we analyze Duke's wholesale sales in the first subsection below, its dispatch of generation assets in the second subsection, and Duke's transmission operations in the third subsection.

A. Wholesale Sales and Purchases

We examine transaction data to determine whether the prices at which Duke sold or purchased power may raise concerns regarding anticompetitive conduct that would warrant further investigation. We are particularly interested in periods when transmission congestion arises. If Duke were engaging in anticompetitive conduct to create congestion, it could potentially benefit by making sales at higher prices in constrained areas or purchases at lower prices adjacent to constrained areas. We examined the real-time bilateral transactions made by Duke using Duke internal records. We focus on real-time transactions because anticompetitive conduct is likely to be more successful in the real-time market.

Competition is facilitated by the ability of rivals to gain market access by reserving and scheduling transmission service. Access will be limited if ATC is unavailable, transmission requests are refused, or schedules are curtailed. Curtailments are also an indicator of congestion because they can be made when a path is over-scheduled or physically overloaded. If Duke's ability to curtail schedules is being abused, we would expect to see systematically higher prices for sales or lower prices for purchases coincident with curtailments.

Recall that curtailments can be flow-based (i.e., the result of flows exceeding the system operating limit), or contract-path-based (i.e., the result of contract-path reservations exceeding the path rating). For our analysis of Duke's sales, we use both types of curtailments. This is reasonable because both types of curtailments reduce market access. Moreover, Duke has the direct ability to affect both flow-based curtailments and contract-

path-based curtailments. It can affect flow-based curtailments through operating activities and it can affect contract-path-based curtailments by unjustifiable schedule reductions. By screening the curtailment data against sales activities, we can focus attention on events that merit further inquiry.

Figure 11 shows the daily average prices received by Duke for real-time bilateral sales and purchases. The blue shading indicates days when curtailments occurred.

To link curtailment events with days when curtailments could have potentially benefited Duke's position in the real-time bilateral markets, we calculate a measurement called the maximum daily effective market position ("Max Effect"). The Max Effect indicates Duke's trade volume that could have potentially benefited from a particular curtailment. Days with curtailments coincident with high Max Effect levels are days when the curtailments could have potentially allowed Duke to exploit the effect of the curtailment. These days are further evaluated to determine if the transactions were done at pricing levels that are consistent with a pattern of anticompetitive conduct.

The Max Effect is calculated in two steps. First, for each hour and for each constraint and delivery point, we calculate a shift-factor-weighted¹⁰ volume of trades by summing the product of the shift factors and the net trade volumes (purchases minus sales). For each hour and each constraint, the values are summed across all delivery points. Second, from this set of values, we select the maximum value for each day. If the maximum value is positive, it appears on Figure 11.

¹⁰ The relationship between constrained paths and market delivery points is determined through shift factors, which are the portion of power injected at the market delivery point that flows over the constrained transmission path. Shift factors between -.01 and .01 are set to zero.

**Figure 11: Prices for Duke Sales and Purchases
October 2009 – December 2009**



The weighted average daily prices of Duke's sales range between \$[REDACTED]/MWh and \$[REDACTED] MWh. The volume-weighted average daily sales price was \$[REDACTED] MWh. On days with curtailments that may have benefited Duke's net sales position, the average sales price was \$[REDACTED]/MWh. The weighted average daily prices of Duke's purchases range between \$[REDACTED]/MWh and \$[REDACTED]/MWh. The volume-weighted average daily purchase price was [REDACTED] MWh. On days with potentially beneficial curtailments, the average purchase price was [REDACTED] MWh. Overall these statistics do not raise potential competitive concerns.

We evaluated the three days that had a positive Max Effect greater than 150 MW in more detail and found the following:

- [REDACTED] while curtailing a schedule from PJM to Duke. The schedule was that of a Duke affiliate.
- [REDACTED] while curtailing a schedule from Duke to PJM. The schedule was that of a Duke affiliate.

- [REDACTED]
[REDACTED] while curtailing schedules from Duke to PJM. The schedules were those of a Duke affiliate.

From a purchases and sales perspective, Duke was both benefited by the congestion and harmed by the curtailments on the above dates. Thus, we do not have concerns of anticompetitive conduct. Never the less, we pay particular attention to these dates in performing the evaluation of generation dispatch.

B. Generation Dispatch and Availability

To further evaluate whether Duke's conduct raises any anticompetitive concerns, we examine the company's generation dispatch to determine the extent to which congestion may have been the result of uneconomic dispatch of generation by Duke. We conduct two analyses. We first determine the hourly quantities of out-of-merit dispatch and the degree to which the out-of-merit dispatch contributed to flows on congested transmission paths. If the contribution is significant, further investigation of these times may be warranted. We use flow-based curtailments because, as explained more below, these types of curtailments (as opposed to contract-path-based curtailments) are the ones that would result from unjustified out-of-merit dispatch. Second, we examine the "output gap", which measures the degree to which Duke's generation resources were not fully scheduled when prevailing prices exceeded the marginal cost of running the unit.

1. Out-of-Merit Dispatch and Curtailments


Congestion can be a result of limits on the transmission network when utilities dispatch their units in a least-cost manner. This kind of congestion does not raise competitive concerns. If a departure from least-cost dispatch ("out-of-merit" dispatch) is unjustifiable and causes congestion, it raises potential competitive concerns.

We pursue this question by measuring the out-of-merit dispatch on the Duke system. In our analysis, we consider a unit to be out-of-merit when it is dispatched when a lower-cost unit is not fully loaded at the same time. To identify out-of-merit dispatch, we first estimate

Duke's marginal cost curve or "supply curve".¹¹ We use incremental heat rate curves, fuel cost, and other variable operations and maintenance cost data provided by Duke to estimate marginal costs. This allows us to calculate marginal costs for Duke's units. We order the marginal cost segments for each of the units from lowest cost to highest cost to represent the cost of meeting various levels of demand in a least-cost manner. For our analysis, the curve is re-calculated daily to account for fuel price changes, planned maintenance outages, and planned deratings.

Figure 12 shows the estimated supply curve for a representative day during the time period studied.

Figure 12: Duke Supply Curve



Note: Excluding Approximately [REDACTED] of Nuclear and Hydro Capacity.

The dispatch analysis excludes nuclear and hydro units because their operation is not primarily driven by current system marginal operating costs. Nuclear resources rarely change output levels and the opportunity costs associated with hydroelectric resources make it difficult to accurately estimate their costs.

¹¹ We use the term marginal cost loosely in this context. The value we calculate is actually the *marginal running cost* and does not include opportunity costs, which may include factors such as outage risks or lost sales in other markets.

As the figure shows, the marginal cost of supply increases as more units are required to meet demand, as expected. The highest marginal cost is over \$ [REDACTED] MWh. We use each day's estimated marginal cost curve as the basis for estimating Duke's least-cost dispatch for each hour in the study period.

In general, this will not be completely accurate because we do not consider all operating constraints that may require Duke to depart from our estimate of least-cost dispatch. In particular, this analysis does not model generator commitments, assuming instead that all available generators are online. Consistent with this assumption, we limit the hours in this analysis to only include those in-between the morning ramp and the evening ramp to avoid the distortions caused by generation commitments and de-commitments. While market monitoring resources could have been expended to refine the estimated generator commitment and dispatch to make it correspond more closely to actual operating parameters (i.e., start costs, run-time and down-time constraints, etc.), we believe this simplified incremental-operating-cost approach is adequate to detect instances of significant out-of-merit dispatch that would have a material effect on the market.

When a unit with relatively-low running costs is justifiably not committed, our least-cost dispatch will overstate the out-of-merit quantities because it will identify the more expensive unit being dispatched in its place as out-of-merit. This may result in higher levels of out-of-merit dispatch during low-load periods when it is not economic to commit certain units.

Other justifiable operating factors that cause the out-of-merit dispatch to be overstated are energy limitations and ancillary services. An example of an energy limitation is a coal delivery problem that prevents a coal plant from being fully utilized. Because the coal plant is still capable of operating at full load for a shorter time period, the condition does not result in a planned outage or derating. The necessity to operate the plant at reduced load to conserve coal can cause the out-of-merit values to be overstated.

Ancillary services requirements such as spinning reserves, system ramp rate limitations, and AGC control requirements can make it operationally necessary to dispatch a number of units at part load rather than having the least expensive unit fully-loaded. These operational requirements can cause the out-of-merit values to be overstated. The out-of-merit quantities


include units on unplanned outage since a sudden unplanned outage may be an attempt to uneconomically withhold generation from the market.

Overall, our analysis will tend to overstate the quantity of generation that is truly out-of-merit. Accordingly, the accuracy of a single instance of out-of-merit dispatch is not as important as the trend or any substantial departures from the typical levels.

In our analysis, we seek to identify days with significant out-of-merit dispatch that coincides with transmission congestion. Congestion is indicated by flow-based schedule curtailments. Flow-based curtailments are those that are taken close to real-time in order to prevent physical flows from exceeding system operating limits. Out-of-merit dispatch can be used to affect these flows and create the need for curtailments, potentially limiting competition in specific locations. Contract-path-based curtailments, on the other hand, are the result of reserved rights on the contract paths and are unaffected by real-time dispatch.

Figure 13 shows the daily maximum “out-of-merit” dispatch for the peak hours of each day in the study period.

**Figure 13: Out-of-Merit Dispatch and Congestion Events
October 2009 – December 2009**



Also shown in the figure are four days with flow-based curtailments represented by blue bars. The impact of the out-of-merit dispatch is calculated, but during the period of study it was always zero. Since, the out-of-merit dispatch did not increase the flow on the congested transmission elements; we do not find this to be evidence of anticompetitive conduct.

There are four spikes in out-of-merit dispatch that exceeded 150MW that were not associated with curtailments. The first is on October 7, 2009 and is caused by [REDACTED] being operated instead of [REDACTED]. [REDACTED] was forced to run to test an ash line extension for the ash pond clean-out. The second is on November 12, 2009 and is caused by the [REDACTED] derating because of wet coal. The third is from December 2 through December 4, caused by [REDACTED] being in a forced outage due to a tube leak. The last spike in out-of-merit dispatch is from December 21 through December 22, caused by [REDACTED] taking a forced outage for tube leaks. We reviewed the operating logs for all of these outages and find them to be justified. We address these spikes because they stand out in the exhibit, but do not find them to be evidence of anticompetitive conduct because the outages are justified and they did not contribute to curtailments.

We also examined the three dates noted in the Purchases and Sales section above and find the out-of-merit dispatch to be zero on all three days.


2. Output Gap

The output gap is another metric we use to evaluate Duke's generation dispatch. The output gap is the unloaded economic capacity of an available generation resource. The capacity is economic when the prevailing market price exceeds the marginal cost of producing from that unit by more than a specified threshold. We use \$25/MWh and \$50/MWh as two thresholds in our analysis. Hence, at the \$25/MWh threshold, if the prevailing market price is \$60/MWh and a unit with marginal costs of \$40/MWh is unloaded, then we do not consider this part of the output gap because the marginal cost plus the \$25/MWh threshold is greater than the \$60/MWh market price. However if the marginal cost is \$30/MWh, we would consider it in the output gap at the \$25/MWh

threshold, but not under the \$50/MWh threshold. This quarter, there were three output gap events at the lower threshold.

We analyze the market for the 16-hour daily on-peak power product, because this is the most liquid market in the VACAR South region and it is where market power would be the most profitable. We compare the prevailing prices for the 16 on-peak hours (which is fixed over the 16-hour period) to the marginal cost of each generator. The daily output gap for each generator is expressed as the output gap for the hour when the generator reaches its peak output level for the day. The results are the summation of the daily output gap of the included generation. Only units that are committed during the day are included in the daily calculation. Hydro and nuclear units are also excluded because nuclear resources rarely change output levels in response to market conditions for a variety of reasons and the opportunity costs associated with hydroelectric resources make it difficult to accurately estimate their costs.

**Figure 11: Minimum Daily Output Gap
October 2009 – December 2009**



We analyze two sources of data that may be representative of prevailing power prices; the Platts VACAR index and the PJM market prices. The figure shows that output gap

occurred on three days at the \$25/MWh threshold. The highest output gap is 25 MW which is insignificant for a system of this size. Accordingly, we do not find evidence of anticompetitive conduct through the withholding of generation.

We also examined the three dates noted in the Purchases and Sales section above and find the output gap to be zero on all three days.

3. Generator Availability

We evaluate generator availability by examining the amount of capacity on outage as well as the ratio of capacity on outage to total capacity. Our first analysis is in Figure 14. We compare the daily average capacity on outage during the on-peak hours as well as the VACAR price and the prices at which Duke made real-time sales.

**Figure 14: Outage Quantities
October 2009 – December 2009**




The figure shows that Duke sales prices and the market (VACAR) price are generally well correlated. Some differences are expected because the Duke sales prices reflect real-time transactions while the wholesale prices reflect day-ahead transactions. Our main interest is in unplanned generation outages that cause increases in market prices. The figure does not show periods with high outages volumes that are coincident with significant price spikes.

The correlation between outages and prices is not immediately apparent from the chart. Therefore, we present statistics that help clarify the relationship below, in Figure 16.

Figure 15 shows the average ratio of capacity in outage to total capacity (i.e. the average outage rate) and the VACAR price and the Duke short-term sales price. This chart reveals patterns similar to that revealed in Figure 14. The average forced outage rate over the study period was approximately [REDACTED] percent, which is [REDACTED] by industry standards.

**Figure 15: Outage Rate
October 2009 – December 2009**



Finally, the correlations of the average outage rates to the VACAR price and the short-term sales price are shown in Figure 16.

**Figure 16: Correlation of Average Outage Rates with Wholesale Energy Prices
October 2009 – December 2009**

	Correlation with VACAR Index	Correlation with Duke Real-Time Sales Prices
Planned Outages	-37%	20%
Unplanned Outages	-35%	-19%

Figure 16 reports both planned and unplanned outages. The unplanned ones are the most important from a market power perspective. Planned outages are expected and generally are scheduled in off-peak periods. Unplanned outages can occur during peak times. The negative correlation of the planned outage rate with VACAR index price is expected given that planned outages are typically scheduled during off-peak periods when prices are lower. The correlations of the unplanned outage rate with prices were also negative. These do not indicate that outages contributed to high prices.

Based on the results, we find no evidence that generation outages were associated with anticompetitive conduct.

C. Analysis of Transmission Availability

Transmission outages are reviewed in order to determine whether they limit market access and, if so, whether they are justified. There were 161 transmission outages that affected power flows on elements at 100 kV and higher during the period of study. We reviewed these outages with a focus on conditions that would have reduced transfer capability on the key paths when the TTC was reduced and the ATC was near zero as shown in Figure 6 through Figure 10. Based on our review of the shift factors of the equipment in outage to the limiting contingencies for setting TTCs, we found the following outages to be of interest.

- [REDACTED] This 24-day planned outage starting on [REDACTED] [REDACTED] was taken to enable Progress Energy to install a line reactor on their section of the line. This outage was a major contributor to most of the TTC changes and curtailments reported over the quarter. Because it was initiated by Progress Energy, we do not find it to be related to adverse conduct by Duke.
- [REDACTED]: This thirteen-day planned outage starting on [REDACTED], was taken to as part of a line relocation project. This outage is noted as a potential contributor to the need for "PJM to Duke" curtailments on October 26, 2009.
- [REDACTED] This three-day planned outage starting on [REDACTED] [REDACTED] was taken to enable relay setting changes and breaker testing to be

performed. This outage is noted as a potential contributor to the need for “PJM to Duke” curtailments on October 26, 2009.

- [REDACTED] This seven-month planned outage starting on [REDACTED] [REDACTED] is noted as a potential contributor to the need for “PJM to Duke” curtailments on several days throughout the quarter...
- [REDACTED]: This five-month planned outage starting on [REDACTED] was taken to rebuild lines and structures. This outage is noted as a potential contributor to the need for “Duke to Santee Cooper” curtailments on October 31, 2009 and November 1, 2009.
- [REDACTED] This 25-day planned outage, starting on [REDACTED] was taken to rebuild and test breakers, instrumentation and relays. This outage is noted as a potential contributor to the need for “PJM to Duke” curtailments on October 26, 2009 and November 2, 2009.
- [REDACTED]: This seven-hour planned outage was taken on [REDACTED] [REDACTED] to establish a [REDACTED] This outage is noted as a potential contributor to the need for “Duke to Southern Company” curtailments on October 26, 2009.

Through our investigation of these outages, based on a review of documentation and logs, we find these outages to be reasonable and justified. Accordingly, our analysis of transmission availability did not indicate that Duke reduced market access through unjustified transmission outages.